

# TRADING



Ketten

Chain

Schäkel

Shackle

Karabiner

Carabine Hooks

S-Haken

S-Hooks



**cromox**<sup>®</sup>



## Niro Rundstahlketten 1.4401 Stainless Steel Chain AISI 316

ROSTFREI  
STAINLESS  
INOX

Die Ketten nach der Norm DIN 5685-1 und DIN 5685-2 sind nicht auf Festigkeit im Sinne von DIN 685, Teil 3, geprüft und dürfen nicht als Lastaufnahmemittel, Anschlagmittel oder Tragmittel im Sinne von DIN 15003, sowie nicht zum statischen Aufhängen von Lasten benutzt werden.

The chain corresponding to DIN 5685-1 and DIN 5685-2 are not tested on strength according to DIN 685, part 3 and are not allowed to be used for lifting according to DIN 15003, as well as for static lifting.


### Niro Rundstahlketten NC

1.4401 ähnlich DIN 5685-1, langgliedrig, ohne Belastungsprüfung

Stainless Steel Chain NC

AISI 316 similar to DIN 5685-1, long link, not tested

Bezeichnung Type	ca. Maße mm approx. Dimensions mm			Gewicht Weight ca. kg	Rechn. Belastbarkeit Calculated Loadcapacity kN	Euro m
	d	t	b			
NC 2	2,0	22	3,5	0,060	0,25	1,50
NC 3	3,0	26	5,5	0,150	0,55	2,95
NC 4	4,0	32	7,0	0,270	1,00	4,95
NC 5	5,0	35	9,0	0,430	1,60	7,75
NC 6	6,0	42	11,0	0,630	2,00	10,95
NC 7	7,0	49	12,0	0,860	3,00	14,70
NC 8	8,0	52	14,0	1,100	4,00	19,75
<b>NEU</b> NC 10	10,0	65	18,0	1,750	6,30	31,20



Geprüft, lehrenhaltig auf Anfrage. Tested, calibrated on request.

Bundlänge 30 m. Bundle length 30 m.


### Niro Rundstahlketten NA

1.4401 ähnlich DIN 5685-2, kurzgliedrig, Form G, ohne Belastungsprüfung

Stainless Steel Chain NA

AISI 316 similar to DIN 5685-2, short link, Form G, not tested

Bezeichnung Type	ca. Maße mm approx. Dimensions mm			Gewicht Weight ca. kg	Rechn. Belastbarkeit Calculated Loadcapacity kN	Euro m
	d	t	b			
NA 2	2,0	12	3,5	0,070	0,20	1,70
NA 3	3,0	16	5,5	0,160	0,45	3,30
NA 4*	4,0	19	7,0	0,300	0,80	5,90
NA 5*	5,0	21	9,0	0,500	1,25	9,15
NA 6*	6,0	24	11,0	0,730	1,60	13,75



\*1.4404 Auch mit Belastungsprüfung möglich – AISI 316L Also tested possible.

Bundlänge 30 m. Bundle length 30 m.




**CROMOX**

### Niro D-Schäkel NDS 1.4401

Stainless Steel D-Shackle NDS AISI 316  
with screw collar pin


Bezeichnung Type	Maße mm Dimensions mm				Gewicht Weight ca. kg	Euro Stück/pc
	a	b	c	d		
NDS 4	4	4	8	16	0,008	1,15
NDS 5	5	5	11	19	0,016	1,20
NDS 6	6	6	12	24	0,026	1,35
NDS 8	8	8	17	28	0,058	1,90
NDS 10	10	10	20	35	0,116	3,30
NDS 12	12	12	25	42	0,200	4,90
NDS 16	16	16	32	64	0,450	10,70
NDS 19	19	19	37	74	0,810	19,80
NDS 22	22	22	45	89	1,220	27,40



### Niro Sicherheits D-Schäkel NSDS 1.4401

Stainless Steel Safety-D-Shackle NSDS AISI 316


Bezeichnung Type	Maße mm Dimensions mm				Gewicht Weight ca. kg	Euro Stück/pc
	a	b	c	d		
NSDS 6	6	6	12	21	0,030	1,80
NSDS 8	8	8	17	28	0,068	2,70
NSDS 10	10	10	20	35	0,132	4,10
NSDS 12	12	12	25	42	0,230	6,60



### Niro Karabinerhaken NK 1.4401

Stainless Steel Carabine Hook NK AISI 316

Bezeichnung Type	Maße mm Dimensions mm				Gewicht Weight ca. kg	Euro Stück/pc
	a	b	c	d		
NK 5	50	8	6	5,0	0,020	1,45
NK 6	60	9	7	6,0	0,030	1,70
NK 8	80	12	10	8,0	0,070	3,00



### Niro S-Haken NSH 1.4401

Stainless Steel S-Hook NSH AISI 316

Bezeichnung Type	Maße mm Dimensions mm				Gewicht Weight ca. kg	Euro Stück/pc
	a	b	c	d		
NSH 4	40	7	12	4,0	0,008	0,35
NSH 5	46	9	15	5,0	0,015	0,55
NSH 6	53	10	17	6,0	0,025	0,85

